
Section 1 - Product and Company Information

Product Name	Thermablock Dross Part B	
Company	MicroPhase Coatings, Inc	HMIS Code
Street Address	170 Donmoor Court	Health 1
City, State, Zip	Garner, NC 27529	Flammability 0
Emergency phone:	(800) 424-9300	Reactivity 0
International	001-703-527-3887	

Section 2 - Composition Information/Hazardous Ingredients

<u>Substance Name</u>	<u>CAS #</u>	<u>OSHA Pel</u>	<u>ACGIH TLV</u>
Boric acid	10043-35-3 98 - 100%	NA	NA

Section 3 - Physical and Chemical Properties

Boiling Point	decomposes
Vapor Pressure	2.6 mm Hg at 20°C
Vapor Density (air=1)	N/A
Solubility in Water	1 g/18 mL in cold water
Specific Gravity	1.49 g/cc
Melting Point	170°C
Evaporation Rate (Butyl Acetate=1)	NA
Appearance and Odor	white powder or granules

Section 4 - Fire Fighting Measures

Flash Point	N/A
Autoignition Temperature	N/A
Extinguishing Media	Water spray, carbon dioxide, dry chemical powder or appropriate foam.
Firefighting	
Protective Equipment	
Wear self-contained breathing apparatus and protective coating to prevent contact with skin and eyes.	
Specific Hazard(s)	
none known	

Section 5 - Reactivity Data

Stability	
Stable	
Materials to Avoid	
metal hydrides, alkali metals and other reducing agents	
Hazardous Decomposition or Byproducts	
none known	
Hazardous Polymerization	

Will not occur.

Section 6 - Health Hazard Data**Route(s) of Entry**

Inhalation, Ingestion, Dermal

Inhalation

Mild irritant to mucous membranes

Health Hazards (Acute and Chronic)

none known

Carcinogen

No evidence of carcinogenicity in mice

Signs and Symptoms of Exposure

Small quantities ingested will not cause noticeable effects. Large quantities may cause gastrointestinal symptoms.

Mild irritation may occur to skin and eyes under prolonged exposure.

Medical Conditions Generally Aggravated by Exposure

None Known.

Emergency and First Aid Procedures

Wash skin with large amounts of soap and water. Flush eyes with running water for at least 15 minutes.

If inhaled move to fresh air and call a physician if irritation persists.

Acute Oral Toxicity LD50 in rats is 3,500 to 4,100 mg/kg

Acute Dermal Toxicity LD50 in rabbits is more than 2,00 mg/kg. Boric acid is poorly absorbed through intact skin.

Section 7 - Precautions for Safe Handling and Use**Steps to be Taken in Case Material is Released or Spilled**

Sweep up, place in bag and hold for waste disposal. Wash area with water after material pickup is complete.

Waste Disposal Method

Small quantities may be disposed in landfills.

Other Precautions

None known.

Section 8 - Control Measures**Respiratory**

Use a NIOSH approved respirator if dust levels may exceed recommended limitations.

Hand

Protective rubber gloves.

Eye

Chemical safety goggles or face shield.

General Hygiene Measures

Wash thoroughly after handling.

Section 9 - Transport Information**DOT**

Proper Shipping Name None required

Section 10 - Regulatory Information

not regulated under UDS DOT and TDG Canada

Boric acid has no UN number and is not regulated for rail, water, air or ground transportation

ISSUE DATE: 9/29/2006